



17 The Boulevard New Zealand

Ø7 849 3514 Te Rapa, Hamilton Email: office@abe.co.nz Web: www.abe.co.nz

Category



#### Miracle System is Approved by Major Car Manufacturers

Star Co's original tools "Miracle System" and "Airopower System" are approved by the major car manufacturers and exported to more than 50 countries so far.

We export the system starting from Europe, Middle East, Asia, Oceania, North America and now, expanding new markets to South America and Africa.



## Hands on training is provided with our distributors

We offer our hands on training to our end users through our distributors in more than 30 countries.





Shanghai Training Center





Vietnam Training Center

India Training Center

#### Training sessions in each country



















# miracle Line Puller

Category



#### **QUICK REPAIR!!**


■ Miracle Line Puller provides you the most ideal method for line repairs. It speeds up your work drastically.

#### **EASY OPERATION!!**


- It is so easy to operate Simply weld some bits on the deepest point of a line and put suction cups on a glass or panel to hold the puller.
- Then you just pull the handles and the line comes up under your perfect control. You can even planish the panel by locking the handles.
- The Miracle Line Puller has special level gauge to ease your work. Simply set it and you always get accurate line repairs.


#### **LESS BODY FILLER!!**

With the most ideal method of line repairs, you will have much less filling and sanding work. It will changes your work entirely.









# SAR

# miracle Line Puller

### FRONT PANEL OF A VAN

A lot of work to take off inner equipment and parts with conventional methods



Normally change the panel, but



Set the feet on the strong edges and pull out entire panel



Pull and planish



Only 15 min to get to this stage.

### UNBELIEVABLE REPAIRING TIME!!

With the most ideal method, you can eliminate much of body filling and sanding work.

#### SIDE PANEL OF A VAN

A couple of days job with conventional methods



Normally strip and fit, but



Remove the paint and weld on Miracle Bits



Pull two lines together




Elastic distortion disappeared

#### 1/15 OF BODY FILLER!!

No replacement needed. Fast, Easy and Efficient way of a line repair.

# miracle Line Puller

Category






■Set contents: MAIN FRAME (1250mm) ×1, MAIN FRAME (1600mm) ×1, FLAT FOOT SHORT ASSY×2, FLAT FOOT LONG ASSY×2, FLAT FOOT RUBBER PAD×4, CORNER FOOT SHORT ASSY×2, CORNER FOOT LONG ASSY×2, CORNER FOOT RUBBER PAD×8, MIRACLE SHAFT L450×1, L350×1, L250×1, 350×1, 250mm×1, SUCTION CUP×2, HOOK×2, LEVEL GAUGE×2, HEXAGON WRECH S×1, L×1 ■Accessories: STRONG BIT, STRAIGHT BIT, SCREW BIT





■Set contents: MAIN FRAME (1600mm) ×1, FLAT FOOT SHORT ASSY×2, FLAT FOOT LONG ASSY×2, FLAT FOOT RUBBER PAD×4, CORNER FOOT SHORT ASSY×2, CORNER FOOT LONG ASSY×2, CORNER FOOT RUBBER PAD×8, MIRACLE SHAFT L450×1, L350×1, L250×1, 350×1, 250mm×1, SUCTION CUP×2, HOOK×1, LEVEL GAUGE×1, HEXAGON WRECH S×1, L×1 ■Accessories: STRONG BIT, STRAIGHT BIT, SCREW BIT





■Set contents: MAIN FRAME (1250mm) ×1, FLAT FOOT SHORT ASSY×2, FLAT FOOT RUBBER PAD×2, CORNER FOOT SHORT ASSY×2, CORNER FOOT RUBBER PAD×4, MIRACLE SHAFT L450×1, L350×1, L250×1, 350×1, 250mm×1, SUCTION CUP×2, HOOK×1, LEVEL GAUGE×1, HEXAGON WRECH S×1, L×1 ■Accessories: STRONG BIT, STRAIGHT BIT, SCREW BIT

# miracle Line Puller

#### Miracle Line Puller can be stored on this mobile waggon!!



movement!!

Handle is attached for easy


• All the accessories are stored in the tray!!



**Carry Stand** 

Model MS-CSW

- ■Size (Caster and handle included.)
- H1,090×W680×D530mm
- ■Size H950×W255×D625mm ■Weight 20kg








# miracle Strong Puller

Category

### STRIKINGLY STRONG PANEL PULLER



### **SUPER STRONG MECHANISM!!**


- Push and pull is a simple principle of the puller.
- The puller is made of titanium compound, so its strong and light alloy.


### **LOCK THE HANDLES AND PLANISH!!**


- You can easily do the hammering work because the panel can be kept under tension just like you do the repair by putting a dolly inside.
- Strong parts such as sills can be repaired with this method.

**Miracle Strong Puller** 

Model MS-17S







# miracle Strong Puller

### **NO NEED FOR REPLACEMENT!!**

- Even badly damaged panels can be repaired and you will have less replacement.
- You could finish your work in less time.
- Bits will not be torn off as you pull them gently and slowly. You will not stretch the panel.

#### Rear wheelhouse



Long time and hard work with conventional methods



Weld the bits densely on the line



Pulling and hammering



No replacement but repair

#### Rocker panel



Three-hour job with conventional strip and method



Weld the bits on the line




Lock the handles and planish under tension




Only 15 minutes to get to this stage

# miracle Easy Puller


### THIS IS THE ONE YOU CALL DEVASTATING






#### **SO EASY AND SO FAST!!**

Category



- Weld, pull, take off in quick operation.
- · Pull 60 times in a minute.
- · Easy to operation for anybody.


#### **REPAIRING AND SHRINKING!!**




Shirink the strected panel quickly by the heat given off from the tip.

Slowly pulling up the panel with full control.

#### **FINISH WITH A LITTLE BODY FILLER!!**




It spreads distortion outside of the damage.




It prevents spreading distortion by holding the panel.

#### **NO OVER PULLING!!**



Once you set the adjust screw, you can do the repairing while keeping the same level.

#### Various ways to use



Stright type feet are very covinient even for re-shaping corner

Repairing damages on the hood with a siding hammer is very difficult, but Easy Puller allows you very quick and easy repair.

# miracle Easy Puller

### SMALL DENT



■ Pulling with sliding hammers could make unexpected distortion and spread the filler area.



■ With Easy Puller the panel will not be stretched because you pull it out gently and shrink it at the same time.



■ The distortion will not be spread out because it can be kept in the frame.

### LONG SCRAPE



■ With conventional method it will end up with filler on half of the door panel.



■ You will have no problem with the scrape if you use Easy Puller.



■ Easy and guick repair and you will need a little body filler work.

# miracle Easy Puller 2

Easy puller II is lighter and more compact. It is simplified for the usability.



Category

#### **Small Rounded Frame**

Suitable for very small damage. The frame fits to rooftops, tip of fenders, and other narrow areas.

Model MS-Z-A



#### **Medium Rounded Frame**

Suitable for medium sized damage. The frame fits to rounded corners of the rooftops, door panels, hoods, and so on.

Model MS-Z-B



#### **Large Rounded Frame**

Suitable for wide and shallow damaged areas. The frame fits to rounded areas of hoods, rooftops, and door panels.

Model MS-Z-C



#### **Medium Squared Frame**

Suitable for medium sized damage on flat area. The frame fits to flat areas of car panels and useful for damaged areas where close to the press lines.

Model MS-Z-D





#### **Straight Frame**


Suitable for scratches and scrapes. The frame is perfect for long scrapes and scratches of door panels. Very effective for reshaping narrow distortion.

Model MS-Z-E


# miracle Easy Puller 2










It enables to do a sequence of operation which is "Weld  $\rightarrow$  Pull  $\rightarrow$  Take-off". Possible to pull 60 times in a minute!! Even a beginner can start to work immediately.



The welding bit is movable vertically to the edge of the frame. With the advantage of the vertical movement, the panel is repaired more efficiently.







Pulling the panel with shock often leads to stretch the panel and spread the distortionarea.

Easy Puller II can localize the damage and pull the dent slowly, so it prevents spreading the distortion area. Less body filler is needed to finish.

#### Dent on flat area and corner of the panel







#### Dent on the side of press line







#### Scratch and stretched scrape











Easy, handy and very useful.




Miracle Lever Puller Model MS-13R

Category











#### Continuous work to weld, pull & remove.






Miracle Pet 4 pc set Model MS-4P

- Miracle Pet
  Hand Type
  Model ONA-01
  - Size ■Length 265mm
- Miracle Pet Middle Type for regular panel
  - Model ONA-03
  - Size ■Length 455mm ■Weight 910 g

- 2 Miracle Pet Mini Type for thin panel
  - Model ONA-02
  - Size ■Length 390mm ■Weight 600 g
- Miracle Pet Strong Type for thick panel
  - Model ONA-04
- Size ■Length 560mm ■Weight 1,380 g











Just like your hand.




Miracle Hand Puller Model MS-5N





■Set contents: HAND PULLER A×1, HAND PULLER B×1, HOOK×1, HEXAGON WRENCH L×1, S×1





#### Miracle Hammer Horizontal Peen L

Model MHS-01

■Length 370mm ■Head Diameter 37mm ■Weight 555g



#### Miracle Hammer Horizontal Peen M

Model MHS-02

Size

■Length 350mm ■Head Diameter 32mm ■Weight 400g



#### Miracle Hammer Horizontal Peen S

Model MHS-03

Size

■Length 348mm ■Head Diameter 28mm ■Weight 300g



Miracle Hammer Vertical Peen L

Model MHV-01

■Length 370mm ■Head Diameter 37mm ■Weight 555g



Miracle Hammer Vertical Peen M

Model MHV-02

Size

■Length 350mm ■Head Diameter 32mm ■Weight 400g



#### Miracle Hammer Vertical Peen S

Model MHV-03

Size

■Length 348mm ■Head Diameter 28mm ■Weight 300g



### Miracle Hammer Horizontal Peen S (w/ rubber cap)

Model MHSG-03

■Length 348mm ■Head Diameter 30mm ■Weight 330g



### Miracle Hammer Vertical Peen S (w/ rubber cap)

Model MHVG-03

■Length 348mm ■Head Diameter 30mm ■Weight 330g



#### For professional.

Unique designed hammer for practical uses.

#### Miracle Hammer Extra-Big

Model MHW-01

Size ■Length 348mm ■Head Diameter 55/29mm ■Weight 1,150g





Miracle Hammer Horizontal Peen L · M · S 3pc set

Model MHS-3S

Set contents

■MHS-01 ■MHS-02 ■MHS-03



#### Miracle Hammer L Horizontal & Vertical Peen 2pc set

Model MHSV-1S

Set contents

■MHS-01 ■MHV-01




#### Miracle Hammer S Horizontal & Vertical Peen 2pc set

Model MHSV-3S

Set contents

■MHS-03 ■MHV-03



Miracle Hammer Vertical Peen L · M · S 3pc set

Model MHV-3S

Set contents

■MHV-01 ■MHV-02 ■MHV-03



#### Miracle Hammer M Horizontal & Vertical Peen 2pc set

Model MHSV-2S

Set contents

■MHS-02 ■MHV-02



#### Miracle Hammer 9pc set

Model MS-9H

Set contents ■MHS-01 ■MHS-02 ■MHS-03 ■MHSG-03 ■MHV-01 ■MHV-02 ■MHV-03 ■MHVG-03 ■MHW-01

miracle Shaft

the holes of thebits

#### Special compounded steel shaft.

_	<del>-</del>	
	MF-5-1	
	MF-5-2	_
	MF-5-3	
	MF-5-4	
	ME-6-6	

Miracle Shaft 5pc set

Use With Sliding

Use a straight type shaft to pull out a long line or a scrape by putting throught

Model Description

MF-5-1 L type 450mm

MF-5-2 L type 350mm

MF-5-3 L type 250mm

MF-5-4 S type 350mm

MF-5-5 S type 250mm

# Model MF-5 Set contents ■MF-5-1 ■MF-5-2 ■MF-5-3 ■MF-5-4 ■MF-5-5






# miracle Bit

Category











### Strong welding and rust resistant!!










 $800g \times 6 \text{ bags}$ Strong Bit Model MB-1-6S












 $800g \times 6 bags$ Straight Bit Model MB-2-6S





800g

**Screw Bit** 

Model MB-3


800g

Strong Bit

Model MB-1

Intensive and





 $800g \times 6 bags$ **Screw Bit** Model MB-3-6S



Valuable box set. 3 different washers in 1 box!!



 $800g \times 3 \text{ kinds}$ 

Mix Bit Model MB-M2  $800g \times 3 \text{ kinds} \times 6 \text{ bags}$ 

Mix Bit Model MB-M2-6S



#### **GORGEOUS PANEL WAGON STORES MIRACLE SYSTEM FULL SET!!**



Category


#### **OSPACE-SAVING MODEL!!**

**©EASY-TO-MOVE DESIGN!!** 

#### Miracle Panel Wagon Model MS-60V-B

- ■Size: H1750×W930×D700mm
- ■Weight: 53kg
- ■L-Shape Hook × 50-pcs■Accessory Case × 2

#### Easy moving with handles and casters!!





■ Easy to carry around with big oval-shaped handles

#### **Big Capacity!! Wide sized bottom tray!!**



■Wide and deep trays at both sides of the panel



■You can store from small tools to even tool boxes

#### **Detachable hooks!!**



■ Detachable hooks for your original string

#### **Excellent stability with the large wheels!!**



- ■Wide and deep trays at both sides of the panel
- ■You can store from small tools to even tool boxes

# ARTHURSON

### High-Performance Wagon!! Easy to Work!! Smooth Movement!! Neat Storage!! Compact Wagon!!



Miracle Wagon 3 tray type Model MWN3

- ■Size (incl.caster+handle) H1,030×W540×D800mm ■Size H920×W470×D590mm
- ■Weight 32kg



Miracle Wagon 4 tray type Model MWN4

- ■Size (incl.caster+handle) H1,030×W540×D800mm ■Size H920×W470×D590mm
- Size H920 X W470 X D590MM

  Weight 36kg



Miracle Wagon 4 tray type(Gray)
Model MWN4-GR

- Size (incl.caster+handle) H1,030 × W540 × D800mm
- ■Size H920 × W470 × D590mm



# Mirece States

#### **CONVENIENT TRAY!!**

You can store used and new washers separate on the upper partition tray. Attachments and consumables can be stored in mid tray.

Lower tray can be used for hammers and larger tools.

#### **CONTRACTIBLE HANDLE!!**





The handle on the front can be pulled out for easy moving. No interference with "push-in" handle when working.

#### **DETACHABLE HOOKS!!**





You can arrange where to hang the pullers.

#### LARGE CASTERS!!



150mm casters used for easy and smooth movement.





The Best Choice for Aluminum Panel Repair!! You can Repair Expensive Aluminum Panels!!

Category



Model MS-AL01-UL

Max. Power Consumption 5KVA Control Method IC Control Output Voltage 20V Max. Output Current 200A Cooling System Natural Air Cooling Dimension H215xW243xD442mm Weight Out Put Cable Length of the welding gun cable 3m Input Cable



These Aluminum bits ···





Can be Welded by Anyone... With Only One Switch.



make a pull.



Remove the paint where you want to Weld aluminum bits with only one switch. Make a pull with the special puller.





### Mingcle Alumi Bit • Cut the tips and use the bits many times!!



•Cut the bits off with nippers.




This is the condition of the tip after it






Miracle Alumi-Bit Straight Type





Miracle Alumi-Bit Screw Type





■Size W22xH58mm ■50 pieces/ box



XThis product is patented. It is already accepted by the patent office.

Miracle Special

Straight Type

Model MAB-SSP

Alumi-Bit



Miracle Special **Alumi-Bit** Screw Type Model MAB-TSP

■Size W22xH58mm ■50 pieces/ box

#### **High Mobility with Miracle Wagon!!**




### I'ts a must for Aluminium panel repair!! Small and light weight gas flow meter is available **Gas Flow Meter** The shape of the adaptor may vary. Different shapes are available. ■Suitable Gas: argon gas ■Weight: 600g ■Max. pressure: 15bar / 4500psi ■Max. flow: 15L/min




# Miracle Alumi Repair 595tem

#### **Excellent Line-up for Miracle Alumi Repair System!!**

Category


















#### High perfomance stud welder!!

Category

Super Miracle Stud Model SMS-7Q Power Supply Single phase 240V 30A Max.Input 18KVA Rated Capacity 8.8KW Duty Cycle 21% Control Method IC Control H210×W190×L425mm Weight 25.5kg 50square × 3m(+)2m(-) Output Cable Input Cable 3.5square×7m




#### **DIFFERENCE IN EARTH!! Unique 3 way earth grounding!!**




#### **DIFFERENCE IN EXTENDING TOOLS!!**



#### **DIFFERENCE IN OPERATION!!**
















Roll patching



#### **Excellent kits of Super Miracle Stud with Miracle Waggon!!**










#### High perfomance stud welder!!




#### **Miracle Stud**

Model MS-9E

Category





Power Supply
Max.Input
16KVA
Rated Capacity
Duty Cycle
Control Method
Dimention
Weight
Output Cable
Input Cable
Single phase 240V 30A
16KVA
5KW
Dty
5KW
IC Control
18%
Control
21kg
38square×3m(+)2m(-)
3.5square×7m






### Miracle Stud and Miracle Waggon come in very handy together!!









Category



#### **Body Only Miracle Multi Earth** Model MME-00



#### Regular output cable with 38 square cable

Miracle Multi Earth

Model MME-38


■Size 38SQ ■Length 2m

#### **High Capacity** 50 square output cable

Miracle Multi Earth

Model MME-50

■Size 50SQ ■Length 2m





with the pin

Earth contact area




Strip the paint off.



Weld a rounded washer.



Use the pin inside to hook the clamp with the washer then ready to work. Take advantage of the weight of the cable.





# miracle System



**Washer Welding Tip** Model MS-U-B11

■Insertion Diameter 10mm



Point Shrinking Tip Model MS-U-B12

■Insertion Diameter 10mm





**Roll Patching Tip** Model MS-U-B13

■Insertion Diameter 10mm



**Carbon Stick** Model MS-U-B14

■Length about 150mm ■Insertion Diameter 8mm



**Spot Welding Tip** Model MS-U-B15



**Special Bit** Model M-01



■Insertion Diameter 10mm



**Output Cable 50SQ** Model MS-E-B10

■Cable Length 3m

**Output Cable 38SQ** Model MS-U-B10

■Cable Length 2 m

#### Special cable to connect Miracle System and Miracle Stud. Can be used for third party stud welders as well.



Miracle Connecter (Both side clamp) Model MS-C2



Miracle Connecter (One side clamp) Model MS-C3




Miracle Avoid Clamp Model MS-AC

#### Cutting off the tip of used bit, you can use it again as new bit!!



**Miracle Bit Cutter** Model MBC-01



●You can cut the bits 10 times!!

Bits are always in the same length!

No need to grind the bits!!



Better welding and no sparking with fresh eges!!



■ Air pressure 6.3kg/cm² ■ Length 260mm ■ Weight 1,600g ■ Air inlet 1/4inPT

#### Super compact Micro Grinder!! It works in places even your fingertip can't fit!!

Excellent micro mini tool using with 30mm paper and grind stone.

Allowing you to sand very small spaces, a micro sander opens up lots of possibilities.





Miracle Micro Grinder & Sander set

Model MMGS-01

Category

Size · Specification ■Free speed 20,000rpm ■Working pressure 6.5kg/cm² ■Length 136mm ■Weight 300g ■Air inlet1/4inPT Set contents ■Grind stone×1 ■Disc pad×1 ■Exchange jig× 1 ■Disc paper P60×3, P100×3, P150×3



Disc paper (Self-adhesive type)

	•
Model	Grit×Quantity
14216A	P60×100pcs
14217A	P100×100pcs
14218A	P150×100pcs



Disc pad for Micro grinder Model 14215A



**Grind stone** for Micro grinder Model 14214A

#### Unique gearless mechanism for high-power!! Also noiseless!!









**Miracle Gearless Sander** 

Model MGS-02

Size · Specifiction

■Length170mm ■Weight 689g ■Free speed 25,000rpm ■ Air pressure 6.3kg/cm² ■ Air inlet 1/4inPT

■Female type 2" pad×1

■ Male type 2" sanding paper P80 × 1, P100 × 1, P120 × 1
■ Male type 2" surface conditioning disk P80 (Brown) × 1, P150~P180 (Red) × 1, P280~P300 (Blue) × 1

Female type **2**" pad Model 2D-HF



Velcro paper is available using with this pad.

P280~P300 (Blue)×1

Pad for 2" velcro paper (male screw type) Model 2RM-PAD



2" sanding paper (Male type)

Model	Grit × Quantity
2RP-P40	P40 ×10pcs
2RP-P60	P60 ×10pcs
2RP-P80	P80 ×10pcs
2RP-P100	P100×10pcs
2RP-P120	P120×10pcs
2RP-P150	P150×10pcs
2RP-P180	P180×10pcs
2RP-P240	P240×10pcs



2" velcro paper (male screw type)


■ Size  $\phi$  50 m m

Model	Grit×Quantity
2MP-P40	P40 ×50pcs
2MP-P60	P60 ×50pcs
2MP-P80	P80 ×50pcs
2MP-P100	P100×50pcs
2MP-P120	P120×50pcs
2MP-P150	P150×50pcs
2MP-P180	P180×50pcs
2MP-P240	P240×50pcs



2" surface conditioning disk (male type)

Model	Grit × Quantity
2RW-BW (Brown)	P80×10pcs
RW-RD (Red)	P150~P180×10pcs
RW-BL (Blue)	P280~P300×10pcs
RW-GR (Gray)	P350×10pcs



2" stripping wheel 10PC set (male screw type) Model 2R-SPH